

Amendments to the Claims:

1-57. (canceled)

58. (currently amended) An isolated polypeptide comprising a sequence having at least 80% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of amino acid residues 35-273 of SEQ ID NO:506 shown in Figure 213 (SEQ ID NO:506);

~~(b) — the amino acid sequence of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide;~~

~~(c) — the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506);~~

~~(d) — the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide; or~~

~~(e) — the amino acid sequence of the polypeptide encoded by the full length coding sequence of the cDNA deposited under ATCC accession number 209791₁;~~

wherein the nucleic acid encoding the polypeptide is amplified in colon or lung tumors.

59. (currently amended) The isolated polypeptide of Claim 58 comprising a sequence having at least 85% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of amino acid residues 35-273 of SEQ ID NO:506 shown in Figure 213 (SEQ ID NO:506);

~~(b) — the amino acid sequence of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide;~~

~~(c) — the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506);~~

~~(d) — the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide; or~~

~~(e) — the amino acid sequence of the polypeptide encoded by the full length coding sequence of the cDNA deposited under ATCC accession number 209791₁;~~

wherein the nucleic acid encoding the polypeptide is amplified in colon or lung tumors.

60. (currently amended) The isolated polypeptide of Claim 58 comprising a sequence having at least 90% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of amino acid residues 35-273 of SEQ ID NO:506 shown in Figure 213 (SEQ ID NO:506);

(b) ~~the amino acid sequence of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide;~~

(c) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506);~~

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide; or~~

(e) ~~the amino acid sequence of the polypeptide encoded by the full length coding sequence of the cDNA deposited under ATCC accession number 209791;~~

wherein the nucleic acid encoding the polypeptide is amplified in colon or lung tumors.

61. (currently amended) The isolated polypeptide of Claim 58 comprising a sequence having at least 95% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of amino acid residues 35-273 SEQ ID NO:506 shown in Figure 213 (SEQ ID NO:506);

(b) ~~the amino acid sequence of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide;~~

((c) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506);~~

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide; or~~

(e) ~~the amino acid sequence of the polypeptide encoded by the full length coding sequence of the cDNA deposited under ATCC accession number 209791;~~

wherein the nucleic acid encoding the polypeptide is amplified in colon or lung tumors.

62. (currently amended) The isolated polypeptide of Claim 58 comprising a sequence having at least 99% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of amino acid residues 32-273 of SEQ ID NO:506 shown in Figure 213 (SEQ ID NO:506);

(b) ~~the amino acid sequence of the polypeptide of SEQ ID NO:506 shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide;~~

(c) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506);~~

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide; or~~

(e) ~~the amino acid sequence of the polypeptide encoded by the full length coding sequence of the cDNA deposited under ATCC accession number 209791;~~

wherein the nucleic acid encoding the polypeptide is amplified in colon or lung tumors.

63. (currently amended) An isolated polypeptide comprising:

(a) the amino acid sequence of the polypeptide of amino acid residues 35-273 of SEQ ID NO:506 shown in Figure 213 (SEQ ID NO:506);

(b) ~~the amino acid sequence of the polypeptide of SEQ ID NO:506 shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide;~~

(c) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506);~~

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 213 (SEQ ID NO:506), lacking its associated signal peptide; or~~

(e) ~~the amino acid sequence of the polypeptide encoded by the full length coding sequence of the cDNA deposited under ATCC accession number 209791.~~

64. (cancelled)

65. (cancelled)

66. (canceled)
67. (canceled)
68. (cancelled)
69. (previously presented) A chimeric polypeptide comprising a polypeptide according to Claim 58 fused to a heterologous polypeptide.
70. (previously presented) The chimeric polypeptide of Claim 69 wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.